

Information on Stand approvals for FIBO 2019

On condition that the Technical Guideline of Koelnmesse GmbH is observed when designing and erecting stands, there is no need to submit drawings for one-story stands **up to 80 sqm** in the halls for approval.

All other stand constructions, as well as mobile stands, special constructions according to point 4.1, 4.2 and/or 4.2.1 are subject to approval.

- For the evidence of doubt, we kindly ask you to note that your stand construction (or parts of it) may require a structural calculation, who has to be check by a structural engineer. This special approval is subject to additional costs.

The maximum construction height in halls 6, 7, 8 and 9 are shown in the current floor plans, the maximum construction height in halls 4, 5 and 10 is top 5.25 m, as not stated differently in the current stand detail of your stand space.

Exhibition stands, including equipment, exhibits and advertising material must be erected in such a stable manner as to avoid endangering life and limb, as well as safety and order.

The stand's stability must be ensured during all phases of the event (construction, the event itself, dismantling). The exhibitor is responsible for the structural and transport safety of the exhibition stand and may be asked to provide proof thereof. This applies to the construction and dismantling times as well as to the event itself.

Point 4.7.1 apply for the general appearance of the stand (design).

- Please keep all necessary documents (e.g. test certificates and certificates relating to the materials used etc.) in German or English language ready for inspection during the event, if required.

The DIN 4102/EN 13501 (classification of fire behavior of building materials) must be observed.

Contact:

FIBO Team
+49 (0)211 – 901 91 230
standdesign@reedexpo.de